

### RSHO Max Strength Applicator, 4500mg

*This Certificate represents exact test data from Third Party Lab analysis, performed in accordance with the requirements of ISO/IEC 17025, and is reported in its entirety.*

#### Cannabinoid Profile & Potency

Test Date: 12/18/2018

Analyte	Test Method	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %
THCa	HPLC-SOP 101	0.00	0.00	ND	ND
D9-THC	HPLC-SOP 101	0.00	0.00	ND	ND
D8-THC	HPLC-SOP 101	0.00	0.00	ND	ND
THCV	HPLC-SOP 101	0.00	0.00	ND	ND
CBDa	HPLC-SOP 101	0.00	0.00	14.77	1.477
CBD	HPLC-SOP 101	0.00	0.00	467.63	46.763
CBDV	HPLC-SOP 101	0.00	0.00	ND	ND
CBN	HPLC-SOP 101	0.00	0.00	ND	ND
CBGa	HPLC-SOP 101	0.00	0.00	ND	ND
CBG	HPLC-SOP 101	0.00	0.00	ND	ND
CBC	HPLC-SOP 101	0.00	0.00	2.72	0.272
Total				485.12 mg/g	48.51%
Max THC				-	-
Max CBD				480.58 mg/g	48.05%

Total THC= THCa \*0.877 + d9-THC

Total CBD= CBDa \*0.877 + CBD

LOQ= Limit of Quantitation; LOD= Limit of Detection; NT= Not Tested; ND= Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;

#### Heavy Metals

Test Date: 12/18/2018

Analyte	Test Method	Mass	LOQ	LOD	Limit	Status
Arsenic	ICPMS-SOP 501	94.221 ppb	10.000 ppb	10.000 ppb	200.000 ppb	PASS
Cadmium	ICPMS-SOP 501	31.337 ppb	10.000 ppb	10.000 ppb	200.000 ppb	PASS
Lead	ICPMS-SOP 501	62.345 ppb	10.000 ppb	10.000 ppb	500.000 ppb	PASS
Mercury	ICPMS-SOP 501	ND	10.000 ppb	10.000 ppb	100.000 ppb	PASS

## CERTIFICATE OF ANALYSIS

LOT#: 20181207

### RSHO Max Strength Applicator, 4500mg

*Pesticides Test Method: LCMS & GCMS-SOP-301*

*Test Date: 12/18/2018*

Analyte	LOD ppm	LOQ ppm	Limit ppm	Mass ppm	Status	Analyte	LOD ppm	LOQ ppm	Limit ppm	Mass ppm	Status
Abamectin	0.005	0.100	0.300	ND	PASS	Fludioxonil	0.001	0.100	30.000	ND	PASS
Acephate	0.000	0.100	5.000	ND	PASS	Hexythiazox	0.000	0.100	2.000	ND	PASS
Acequinocyl	0.000	0.100	4.000	ND	PASS	Imazalil	0.100	0.100	0.100	ND	PASS
Acetamiprid	0.000	0.100	5.000	ND	PASS	Imidacloprid	0.001	0.100	3.000	ND	PASS
Aldicarb	0.100	0.100	0.100	ND	PASS	Kresoxim Methyl	0.003	0.100	1.000	ND	PASS
Azoxystrobin	0.000	0.100	40.000	ND	PASS	Malathion	0.001	0.100	5.000	ND	PASS
Bifenazate	0.000	0.100	5.000	ND	PASS	Metalaxyl	0.001	0.100	15.000	ND	PASS
Bifenthrin	0.000	0.100	0.500	ND	PASS	Methiocarb	0.100	0.100	0.100	ND	PASS
Boscalid	0.001	0.100	10.000	ND	PASS	Methomyl	0.001	0.100	0.100	ND	PASS
Captan	0.001	0.100	5.000	ND	PASS	Methyl Parathion	0.100	0.100	0.100	ND	PASS
Carbaryl	0.001	0.100	0.500	ND	PASS	Mevinphos	0.100	0.100	0.100	ND	PASS
Carbofuran	0.100	0.100	0.100	ND	PASS	Myclobutanil	0.004	0.100	9.000	ND	PASS
Chlorantraniliprole	0.001	0.100	40.000	ND	PASS	Naled	0.004	0.100	0.500	ND	PASS
Chlordane	0.100	0.100	0.100	ND	PASS	Oxamyl	0.000	0.100	0.200	ND	PASS
Chlorfenapyr	0.100	0.100	0.100	ND	PASS	Paclobutrazol	0.100	0.100	0.100	ND	PASS
Chlorpyrifos	0.100	0.100	0.100	ND	PASS	Pentachloronitrobenzene	0.000	0.100	0.200	ND	PASS
Clofentezine	0.001	0.100	0.500	ND	PASS	Permethrin	0.001	0.100	20.000	ND	PASS
Coumaphos	0.100	0.100	0.100	ND	PASS	Phosmet	0.000	0.100	0.200	ND	PASS
Cyfluthrin	0.001	0.100	1.000	ND	PASS	Piperonyl Butoxide	0.001	0.100	8.000	ND	PASS
Cypermethrin	0.000	0.100	1.000	ND	PASS	Prallethrin	0.000	0.100	0.400	ND	PASS
Daminozide	0.100	0.100	0.100	ND	PASS	Propiconazole	0.000	0.100	20.000	ND	PASS
DDVP	0.100	0.100	0.100	ND	PASS	Propoxur	0.100	0.100	0.100	ND	PASS
Diazinon	0.001	0.100	0.200	ND	PASS	Pyrethrins	0.000	0.100	1.000	ND	PASS
Dimethoate	0.100	0.100	0.100	ND	PASS	Pyridaben	0.001	0.100	3.000	ND	PASS
Dimethomorph	0.001	0.100	20.000	ND	PASS	Spinetoram	0.001	0.100	3.000	ND	PASS
Ethoprophos	0.100	0.100	0.100	ND	PASS	Spinosad	0.000	0.100	3.000	ND	PASS
Etofenprox	0.100	0.100	0.100	ND	PASS	Spiromesifen	0.001	0.100	12.000	ND	PASS
Etoazole	0.010	0.100	1.500	ND	PASS	Spirotetramat	0.000	0.100	13.000	ND	PASS
Fenhexamid	0.001	0.100	10.000	ND	PASS	Spiroxamine	0.100	0.100	0.100	ND	PASS
Fenoxycarb	0.100	0.100	0.100	ND	PASS	Tebuconazole	0.100	0.100	2.000	ND	PASS
Fenpyroximate	0.001	0.100	2.000	ND	PASS	Thiacloprid	0.100	0.100	0.100	ND	PASS
Fipronil	0.100	0.100	0.100	ND	PASS	Thiamethoxam	0.100	0.100	4.500	ND	PASS
Fonicamid	0.001	0.100	2.000	ND	PASS	Trifloxystrobin	0.100	0.100	30.000	ND	PASS

## CERTIFICATE OF ANALYSIS

LOT#: 20181207

HempMedsp.com

13831 Danielson Street, Poway, CA 92064 • info@hempmeds.com • +1 866-273-8502

Page 2 of 2